

Message

From: Dehne, Andrea [dehne.andrea@epa.gov]
Sent: 7/6/2022 9:45:30 AM
To: Smith, Jennifer [Smith.Jennifer.L@epa.gov]; Walker, Russell [RWalker@nas.edu]
CC: Rangel, Jorge [Rangel.Jorge@epa.gov]
Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Morning and thanks all. I have an appointment from 8-9am and should be back on and available at 10am. Talk to you soon.

Thank you,

Andie

Andrea Dehne
CAD Contract Specialist/Officer
US Environmental Protection Agency
26 West Martin Luther King Drive
Cincinnati, OH 45268
(513)487-2099

From: Smith, Jennifer <Smith.Jennifer.L@epa.gov>
Sent: Tuesday, July 5, 2022 2:54 PM
To: Walker, Russell <RWalker@nas.edu>; Dehne, Andrea <dehne.andrea@epa.gov>
Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>
Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Hi Russ,
Andie is gone for the day, but it looks like 10-11 tomorrow might work for everyone. I'll go ahead and schedule a tentative meeting as a placeholder.

Thanks,

Jennifer L. Smith
Acquisition Specialist
U.S. Environmental Protection Agency
Office of Research & Development
ORM/EMD/CMB
Research Triangle Park, NC 27711
Office: (919) 541-5179
Smith.Jennifer.L@epa.gov

From: Walker, Russell <RWalker@nas.edu>
Sent: Tuesday, July 5, 2022 2:42 PM
To: Dehne, Andrea <dehne.andrea@epa.gov>
Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>
Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Hi Andie,

I'm free now for the next hour – or tomorrow, 10-11.

Russ

From: Dehne, Andrea <dehne.andrea@epa.gov>
Sent: Tuesday, July 5, 2022 10:35 AM
To: Walker, Russell <RWalker@nas.edu>
Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>
Subject: FW: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Good Morning,

Any chance you are available today/this week for a quick touchbase?

Thank you,

Andie

Andrea Dehne
CAD Contract Specialist/Officer
US Environmental Protection Agency
26 West Martin Luther King Drive
Cincinnati, OH 45268
(513)487-2099

From: Walker, Russell <RWalker@nas.edu>
Sent: Tuesday, June 28, 2022 1:42 PM
To: Dehne, Andrea <dehne.andrea@epa.gov>
Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>; Llanos, Laura <LLlanos@nas.edu>
Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Hello Andrea,

Attached is the estimated budget that corresponds with the additional scope and time. We estimate requiring an additional \$297,409 to complete the project. Let us know if you have any questions with the budget or our PWS edits. Thank you.

Russell

Russell Walker
Contract Manager

The National Academies of Sciences, Engineering and Medicine
500 Fifth Street, NW; Washington, DC 20001 | Ph: 202-334-2004
<http://www.nationalacademies.org>

From: Dehne, Andrea <dehne.andrea@epa.gov>
Sent: Wednesday, June 22, 2022 10:43 AM
To: Molye, Elizabeth <EMolye@nas.edu>
Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>; Walker, Russell <RWalker@nas.edu>; Wassel, Ray <RWassel@nas.edu>; Duke, Clifford <CDuke@nas.edu>; Llanos, Laura

<LLlanos@nas.edu>

Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Thank you and we are reviewing the requested edits.

Thank you,

Andie

Andrea Dehne
CAD Contract Specialist/Officer
US Environmental Protection Agency
26 West Martin Luther King Drive
Cincinnati, OH 45268
(513)487-2099

From: Molye, Elizabeth <EMolye@nas.edu>

Sent: Friday, June 17, 2022 2:36 PM

To: Dehne, Andrea <dehne.andrea@epa.gov>

Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>; Walker, Russell <RWalker@nas.edu>; Ray Wassel <rwassel@nas.edu>; Duke, Clifford <CDuke@nas.edu>; Llanos, Laura <LLlanos@nas.edu>

Subject: RE: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Good afternoon, Andie,

I am assisting my colleague, Russell Walker, while he is out on leave.

I wanted to reach out to you regarding the subject modification. We have reviewed the modification, and would like to present the attached requested edits to the PWS shown in track-changes for EPA's review.

Additionally, upon our review of the modification, we believe that the amended PWS represents a Change as described in FAR 52.243-2 Alt I. As such, we do not believe that the modification can be issued as a no-cost extension, but rather requires an equitable adjustment to the estimated cost and the schedule. We are currently preparing a budget estimate for the adjustment based on the attached updated PWS.

Please don't hesitate to reach out should you have any questions or require additional information with regard to either of these items.

Best regards,
Elizabeth

Elizabeth J. Molyé | she/her/Ms. | Sr. Contract Manager | Office of Contracts and Grants | National Academy of Sciences | 202-334-1403 | emolye@nas.edu

From: Dehne, Andrea <dehne.andrea@epa.gov>

Sent: Wednesday, May 25, 2022 10:57 AM

To: Walker, Russell <RWalker@nas.edu>

Cc: Rangel, Jorge <Rangel.Jorge@epa.gov>; Smith, Jennifer <Smith.Jennifer.L@epa.gov>

Subject: Bilateral Signature DOTO_68HERC19D0011_68HERC20F0314_Mod_P00003

Please review, sign and return the attached mod.

Thank you,

Andie

Andrea Dehne

CAD Contract Specialist/Officer

US Environmental Protection Agency

26 West Martin Luther King Drive

Cincinnati, OH 45268

(513)487-2099